

HIKVISION



نمایندگی رسمی هایک ویژن






www.hikvisiontehran.com


021-66765923 | 0990-6500079










Turbo HD Camera - DVR

Items	Description	User Price	
Turbo HD - 2MP			
DS-2CE16D0T-ITPF	2 MP Fixed Mini Bullet Camera 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm, 6 mm fixed lens 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) Smart IR, up to 25 m IR distance IP67	CALL	
DS-2CE16D0T-ITPFS	2 MP Audio Fixed Mini Bullet Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 25 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	CALL	





DS-2CE16D0T-ITF	<p>2 MP Fixed Mini Bullet Camera 2 MP bullet camera Smart IR: up to 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 24,600,000	
DS-2CE16D0T-ITFS	<p>2 MP Audio Fixed Mini Bullet Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 30,540,000	
DS-2CE16D0T-EXIF	<p>2 MP Fixed Mini Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm fixed lens Up to 20 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	CALL	
DS-2CE17D0T-IT1F	<p>2 MP Fixed Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 30 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	CALL	
DS-2CE17D0T-IT3F	<p>2 MP Fixed Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 40,140,000	






DS-2CE16D0T-VFIR3F	<p>2 MP Manual Varifocal Bullet Camera 2 MP varifocal bullet camera 2.8 mm to 12 mm varifocal lens Up to 40 m IR distance for bright night imaging Water and dust resistant (IP66) One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	CALL	
---------------------------	--	-------------	---

DS-2CE76D0T-ITPF	<p>2 MP Indoor Fixed Turret Camera 2 MP turret camera EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	CALL	
DS-76D0T-EXIPF	<p>2 MP Indoor Fixed Turret Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm fixed lens Up to 20 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	CALL	
DS-2CE76D0T-ITPFS	<p>2 MP Audio Indoor Fixed Turret Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	CALL	
DS-2CE76D0T-ITMFS	<p>2 MP Audio Fixed Turret Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 32,600,000	
DS-2CE76D0T-ITMF	<p>2 MP Fixed Turret Camera 2 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	CALL	





DS-2CE78D0T-IT3FS	<p>2 MP Audio Fixed Turret Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	CALL	
DS-2CE56D0T-VFIR3F	<p>2MP Manual Varifocal Turret Camera 2 MP varifocal turret camera 2.8 mm to 12 mm varifocal lens Up to 40 m IR distance for bright night imaging Water and dust resistant (IP67) Transmits both HD video and power over the same coaxial cable</p>	IRR 55,870,000	

Turbo HD - 2MP - ColorVu





DS-2CE70DF3T-PF Colorvu	<p>2 MP ColorVu Fixed Turret Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>24/7 color imaging with F1.0 aperture</p> <p>Clear imaging against strong back light due to 130 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 20 m white light distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	IRR 41,140,000	
DS-2CE72DF3T-F ColorVu	<p>2 MP ColorVu Fixed Turret Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>24/7 color imaging with F1.0 aperture</p> <p>Clear imaging against strong back light due to 130 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 40 m white light distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	IRR 44,040,000	
DS-2CE10DF0T-F ColorVu	<p>2 MP ColorVu Fixed Mini Bullet Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>24/7 color imaging with F1.0 aperture</p> <p>3D DNR technology delivers clean and sharp images</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 20 m white light distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	IRR 55,680,000	
DS-2CE10DF3T-F Colorvu	<p>2 MP ColorVu Fixed Mini Bullet Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>24/7 color imaging with F1.0 aperture</p> <p>Clear imaging against strong back light due to 130 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 20 m white light distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	CALL	






DS-2CE12DF3T-F Colorvu	<p>2 MP ColorVu Fixed Bullet Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>24/7 color imaging with F1.0 aperture</p> <p>Clear imaging against strong back light due to 130 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 40 m white light distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	IRR 58,000,000	
DS-2CE10DF3T-FS Colorvu	<p>2 MP ColorVu Audio Fixed Mini Bullet Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>24/7 color imaging with F1.0 aperture</p> <p>Clear imaging against strong back light due to 130 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>2.8 mm, 3.6 mm fixed focal lens</p> <p>Up to 20 m white light distance for bright night imaging</p> <p>High quality audio with audio over coaxial cable, built-in mic</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	IRR 59,050,000	
DS-2CE12DF3T-FS Colorvu	<p>2 MP ColorVu Audio Fixed Bullet Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>24/7 color imaging with F1.0 aperture</p> <p>Clear imaging against strong back light due to 130 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 40 m white light distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p> <p>High quality audio with audio over coaxial cable, built-in mic</p>	IRR 66,420,000	
DS-2CE70DF0T-PF ColorVu	<p>2 MP ColorVu Indoor Fixed Turret Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>24/7 color imaging with F1.0 aperture</p> <p>3D DNR technology delivers clean and sharp images</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 20 m white light distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	CALL	
DS-2CE72DFT-FC Colorvu	<p>2 MP ColorVu Fixed Turret Camera</p> <p>2 MP full time color turret camera</p> <p>24/7 full color imaging</p> <p>Warm supplemental light with 20 m range</p> <p>Clear imaging even against strong back lighting due to 120 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>Water and dust resistant (IP67)</p> <p>4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	CALL	






Turbo HD - 2MP - Ultra Low Light Series




DS-2CE76D3T-ITPF	<p>2 MP Ultra Low Light Indoor Fixed Turret Camera 2 MP turret camera</p> <p>Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	CALL	
DS-2CE76D3T-ITMF	<p>2 MP Ultra Low Light Fixed Turret Camera 2 MP turret camera</p> <p>Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 41,320,000	
DS-2CE16D3T-ITF	<p>2 MP Ultra Low Light Fixed Mini Bullet Camera 2 MP bullet camera</p> <p>Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	CALL	
DS-2CE16D3T-IT3F	<p>2 MP Ultra Low Light Fixed Bullet Camera 2 MP bullet camera</p> <p>Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 50 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 38,540,000	

Turbo HD - 5MP




DS-2CE16H0T-ITF	<p>5 MP Fixed Mini Bullet Camera 5 MP bullet camera EXIR 2.0: advanced infrared technology with 20 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	CALL	
DS-2CE16H0T-ITPF	<p>5 MP Fixed Mini Bullet Camera 5 MP bullet camera EXIR 2.0: advanced infrared technology with 25 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	CALL	
DS-2CE16H0T-ITFS	<p>5 MP Audio Fixed Mini Bullet Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 30 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS)</p>	CALL	
DS-2CE16H0T-ITPFS	<p>5 MP Audio Fixed Mini Bullet Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 25 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67</p>	CALL	

DS-2CE17H0T-IT1F	<p>5 MP Fixed Bullet Camera</p> <p>High quality imaging with 5 MP, 2560 × 1944 resolution</p> <p>2.4 mm, 2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 30 m IR distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	CALL	
DS-2CE17H0T-IT3FS	<p>5 MP Audio Fixed Bullet Camera</p> <p>High quality imaging with 5 MP, 2560 × 1944 resolution</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 40 m IR distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p> <p>High quality audio with audio over coaxial cable, built-in mic</p>	IRR 51,620,000	
DS-2CE17H0T-IT3F	<p>5 MP Fixed Bullet Camera</p> <p>High quality imaging with 5 MP, 2560 × 1944 resolution</p> <p>2.8 mm, 3.6 mm, 6 mm, 8 mm, 12mm fixed focal lens</p> <p>Up to 40 m IR distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	IRR 41,760,000	
DS-2CE17H0T-IT5F	<p>5 MP Fixed Bullet Camera</p> <p>High quality imaging with 5 MP, 2560 × 1944 resolution</p> <p>3.6 mm, 6 mm, 8 mm, 12 mm fixed focal lens</p> <p>Up to 80 m IR distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	CALL	
DS-2CE16H0T-IT3ZF	<p>5 MP Motorized Varifocal Bullet Camera</p> <p>5 MP bullet camera</p> <p>2.7 mm to 13.5 mm motorized varifocal lens</p> <p>Up to 40 m IR distance for bright night imaging</p> <p>Water and dust resistant (IP67)</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	CALL	


DS-2CE76H0T-ITMF	<p>5 MP Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 37,150,000	
DS-2CE76H0T-ITMFS	<p>5 MP Audio Fixed Turret Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 30 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67</p>	CALL	
DS-2CE76H0T-ITPF	<p>5 MP Indoor Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	CALL	
DS-2CE76H0T-ITPFS	<p>5 MP Audio Indoor Fixed Turret Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 20 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS)</p>	CALL	
DS-2CE78H0T-IT1F	<p>5 MP Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 41,350,000	

DS-2CE78H0T-IT3F	<p>5 MP Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	CALL	
DS-2CE78H0T-IT3FS	<p>5 MP Audio Fixed Turret Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 40 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67</p>	CALL	
DS-2CE79H0T-IT3ZF	<p>5 MP Motorized Varifocal Turret Camera High quality imaging with 5 MP, 2560 × 1944 resolution 2.7 mm to 13.5 mm motorized varifocal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 79,350,000	




Turbo HD - 5MP - ColorVu

DS-2CE10HFT-F28 ColorVu	<p>5 MP ColorVu Fixed Mini Bullet Camera</p> <p>5 MP full time color bullet camera</p> <p>24/7 full color imaging</p> <p>Warm supplemental light with 20 m range</p> <p>Clear imaging even against strong back lighting due to 130 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>Water and dust resistant (IP67)</p> <p>4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	CALL	
DS-2CE12HFT-F28 ColorVu	<p>5 MP ColorVu Fixed Bullet Camera</p> <p>5 MP full time color bullet camera</p> <p>24/7 full color imaging</p> <p>Warm supplemental light with 40 m range</p> <p>Clear imaging even against strong back lighting due to 130 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>Water and dust resistant (IP67)</p> <p>4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	CALL	
DS-72HFT-F28 ColorVu	<p>5 MP ColorVu Fixed Turret Camera</p> <p>5 MP full time color turret camera</p> <p>24/7 full color imaging</p> <p>2.8 mm fixed focal lens</p> <p>Warm supplemental light with 20 m range</p> <p>Clear imaging even against strong back lighting due to 130 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>Water and dust resistant (IP67)</p> <p>4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	CALL	


Turbo HD - 6MP - ColorVu






DS-72KF0T-FS ColorVu	<p>3K ColorVu Audio Fixed Turret Camera</p> <p>High quality imaging with 3K, 2960 × 1665 resolution</p> <p>24/7 color imaging with F1.0 aperture</p> <p>2.8 mm and 3.6 mm fixed focal lens</p> <p>Up to 40 m white light distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p> <p>High quality audio with audio over coaxial cable, built-in mic</p>	CALL	
----------------------	--	------	---






Turbo HD - 8MP





DS-2CE78U8T-IT3	<p>4K Fixed Turret Camera</p> <p>8 MP high performance turret camera</p> <p>Strong night performance, capturing images in ultra-low light down to 0.003 lux</p> <p>Clear imaging even against strong back lighting due to 120 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>EXIR 2.0: advanced infrared technology with 60 m IR distance</p> <p>Water and dust resistant (IP67)</p> <p>Dual outputs (HDTV and CVBS signals output simultaneously)</p>	IRR 105,420,000	
DS-2CE18U8T-IT3	<p>4K Fixed Bullet Camera</p> <p>8 MP high performance bullet camera</p> <p>Strong night performance, capturing images in ultra-low light down to 0.003 lux</p> <p>Clear imaging even against strong back lighting due to 120 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>EXIR 2.0: advanced infrared technology with 60 m IR distance</p> <p>Water and dust resistant (IP67)</p> <p>Dual outputs (HDTV and CVBS signals output simultaneously)</p>	CALL	
Turbo HD PTZ Camera			
DS-2AE4225TI-D	<p>4-inch 2 MP 25X Powered by DarkFighter IR Analog Speed Dome</p> <p>High quality imaging with 2 MP resolution</p> <p>Excellent low-light performance via powered-by-DarkFighter technology</p> <p>Clear imaging against strong back lighting due to 120 dB WDR technology</p> <p>Pan and tilt ability enables camera to monitor zones of interest</p> <p>25 × optical zoom allows for closer viewing of subjects in expansive areas</p> <p>Up to 100 m IR range ensures safety at night</p> <p>Water and dust resistant (IP66)</p>	IRR 312,870,000	






Turbo HD DVR 1080p / 3MP / 4MP lite





DS-7208HGHI-F1	<p>8-ch 1080p Lite 1U H.264 DVR 8 channels and 1 HDD 1U DVR H.264+ / H.264 video compression Encoding ability up to 1080p lite @ 25/30 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 10 network cameras can be connected</p>	CALL	
DS-7216HGHI-K1	<p>16-ch 1080p Lite 1U H.265 DVR Deep learning based human and vehicle targets classification of Motion Detection 2.0 H.265 Pro+/H.265 Pro/H.265 video compression HDTVI/AHD/CVI/CVBS/IP video input Audio via coaxial cable Up to 18-ch IP camera inputs (up to 5 MP) Up to 1080p Lite@15 fps encoding capability Max. 1200 m for 720p HDTVI signal</p>	IRR 87,230,000	
DS-7204HQHI-K1	<p>4-ch 1080p 1U H.265 DVR 4 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 6 network cameras can be connected</p>	CALL	
DS-7208HQHI-K1	<p>8-ch 1080p 1U H.265 DVR 8 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 12 network cameras can be connected</p>	CALL	

DS-7216HQHI-K1	<p>16-ch 1080p 1U H.265 DVR 16 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 24 network cameras can be connected</p>	CALL	
DS-7216HQHI-K2	<p>16-ch 1080p 1U H.265 DVR 16 channels and 2 HDDs 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 24 network cameras can be connected</p>	CALL	
DS-7232HQHI-K2	<p>32-ch 1080p 1U H.265 DVR 32 channels and 2 HDDs 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 40 network cameras can be connected</p>	CALL	
IDS-7204HQHI-M1/S	<p>4-ch 1080p 1U H.265 AcuSense DVR 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 6 network cameras can be connected.</p>	IRR 78,370,000	
IDS-7208HQHI-M1/S	<p>8-ch 1080p 1U H.265 AcuSense DVR 8 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 12 network cameras can be connected.</p>	CALL	

IDS-7216HQHI-M1/S	<p>16-ch 1080p 1U H.265 AcuSense DVR 16 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 24 network cameras can be connected.</p>	CALL	
IDS-7216HQHI-M2/S	<p>16-ch 1080p 1U H.265 AcuSense DVR 16 channels and 2 HDDs 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected</p>	IRR 258,680,000	
IDS-7232HQHI-M2/S	<p>32-ch 1080p 1U H.265 AcuSense DVR Deep learning-based motion detection 2.0 for all analog channels Deep learning-based perimeter protection Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 40 network cameras can be connected</p>	IRR 403,670,000	
IDS-7216HQHI-M1/E	<p>16-ch 1080p 1U H.265 AcuSense DVR Deep learning based human and vehicle targets classification of Motion Detection 2.0 Deep learning-based perimeter protection H.265 Pro+/H.265 Pro/H.265 video compression HDTVI/AHD/CVI/CVBS/IP video inputs Audio via coaxial cable Up to 24-ch IP camera inputs (up to 6 MP) Encoding ability up to 3K/5M Lite @ 12 fps</p>	IRR 175,840,000	
IDS-7216HQHI-M1/XT	<p>16-ch 1080p 1U H.265 AcuSense DVR 16 channels and 1 HDD 1U AcuSense DVR Support 4-ch Facial Recognition or 8-ch advanced model Perimeter Protection based on Deep Learning algorithm Support 8-ch AcuSearch Technology Efficient H.265 pro+ compression technology Encoding ability up to 3K/5MP Lite@12fps Up to 24-ch IP camera inputs, each channel up to 6MP Up to 24*1080P@30fps decoding ability 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Support All channels Motion Detection Technology</p>	IRR 197,380,000	

IDS-7216HQHI-M2/XT	16-ch 1080p 1U H.265 AcuSense DVR 16 channels and 2 HDD 1U AcuSense DVR Support 4-ch Facial Recognition or 8-ch advanced model Perimeter Protection based on Deep Learning algorithm Support 8-ch AcuSearch Technology Efficient H.265 pro+ compression technology Encoding ability up to 3K/5MP Lite@12fps Up to 24 channels IP camera inputs, each channel up to 6MP Up to 24*1080P@30fps decoding ability 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Support All channels Motion Detection Technology	IRR 229,170,000	
IDS-7208HQHI-M1/XT	8-ch 1080p 1U H.265 AcuSense DVR 8 channels and 1 HDD 1U AcuSense DVR Support 2-ch Facial Recognition or 4-ch advanced model Perimeter Protection based on Deep Learning algorithm Support 4-ch AcuSearch Technology Efficient H.265 pro+ compression technology Encoding ability up to 3K/5M Lite @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 12 -ch network cameras can be connected Support All channels Motion Detection Technology Support All channels HDTVI Two-Way Audio Technology	IRR 107,610,000	
Turbo HD DVR 1080p / 3MP / 4MP / 5MP / 8MP lite			
DS-7204HUHI-K1	4-ch 5 MP 1U H.265 DVR 4 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 8 MP lite @ 15 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected.	IRR 113,450,000	
DS-7208HUHI-K1	8-ch 5 MP 1U H.265 DVR 8 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 16 network cameras can be connected	CALL	

DS-7216HUHI-K2	<p>16-ch 5 MP 1U H.265 DVR 16 channels and 2 HDDs 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 32 network cameras can be connected</p>	IRR 366,460,000	
IDS-7204HUHI-M1/S	<p>4-ch 5 MP 1U H.265 AcuSense DVR 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP lite @ 15 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected.</p>	IRR 119,530,000	
DS-7208HUHI-M1/S	<p>8-ch 5 MP 1U H.265 AcuSense DVR 8 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 16 network cameras can be connected.</p>	IRR 208,800,000	
DS-7216HUHI-M2/S	<p>16-ch 5 MP 1U H.265 AcuSense DVR Deep learning-based motion detection 2.0 for all analog channels Deep learning-based perimeter protection Efficient H.265 pro+ compression technology Up to 8 MP@8 fps/5 MP@12 fps encoding capability HDTVI/AHD/CVI/CVBS/IP video inputs Up to 32-ch IP camera inputs (up to 8 MP)</p>	IRR 387,830,000	
IDS-7204HUHI-M1/E	<p>4-ch 5MP 1U H.265 AcuSense DVR Deep learning based human and vehicle targets classification of Motion Detection 2.0 Deep learning-based perimeter protection H.265 Pro+/H.265 Pro/H.265 video compression HDTVI/AHD/CVI/CVBS/IP video inputs Audio via coaxial cable Up to 6-ch IP camera inputs (up to 8 MP) Up to 8 MP@8 fps encoding capability</p>	IRR 96,290,000	

DS-7316HUHI-F4/N		CALL	
Turbo HD DVR 1080p / 3MP / 4MP / 5MP / 8MP lite (Built in PoC Series)			
DS-7204HUHI-K1/P	4-ch 5 MP 1U H.265 PoC DVR 4 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected Transmits both HDTVI video and power over the same coaxial cable	IRR 107,650,000	
DS-7208HUHI-K2/P	8-ch 5 MP 1U H.265 PoC DVR 8 channels and 2 HDDs 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 16 network cameras can be connected Transmits both HDTVI video and power over the same coaxial cable	CALL	
Turbo HD DVR 1080p / 3MP / 4MP / 5MP / 8MP			
DS-7204HTHI-M1/S	4-ch 4K 1U H.265 AcuSense DVR 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected.	CALL	

	DS-7208HTHI-M2/S	<p>8-ch 4K 1U H.265 AcuSense DVR 8 channels and 2 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 16 network cameras can be connected.</p>	IRR 300,200,000	