

هایک ویژن تهران

# نمایندگی رسمی هایک ویژن در ایران

09906500074

تهران خیابان جمهوری پاساژ امجد طبقه همکف پلاک 28 فروشگاه کمیران

Hikvisiontehran

## Network Camera - NVR

Items

Description

User Price




Lite Mini Bullet Series





DS-2CD1021G1-I





2 MP Fixed Bullet Network Camera  
High quality imaging with 2 MP resolution  
Efficient H.264 compression technology  
Clear imaging against strong back light due to DWDR technology  
Water and dust resistant (IP67)  
EXIR 2.0: advanced infrared technology with long IR range





IRR 49,980,000











DS-2CD1023G0E-I	<p>2 MP Fixed Bullet Network Camera  High quality imaging with 2 MP resolution  Efficient H.265+ compression technology  Clear imaging against strong back light due to DWDR technology  Water and dust resistant (IP67)  EXIR 2.0: advanced infrared technology with long IR range</p>	CALL	
DS-2CD1023G0-IUF	<p>2 MP Build-in Mic Fixed Bullet Network Camera  High quality imaging with 2 MP resolution  Efficient H.265+ compression technology  Clear imaging even with strong back lighting due to DWDR technology  Water and dust resistant (IP67)  EXIR 2.0: advanced infrared technology with long IR range  Built-in microphone for real-time audio security</p>	IRR 40,770,000	
DS-2CD1043G0-I	<p>4MP Fixed Bullet Network Camera  High quality imaging with 4 MP resolution  Efficient H.265+ compression technology  Clear imaging even with strong back lighting due to 120 dB WDR  Water and dust resistant (IP67)  EXIR 2.0: advanced infrared technology with long IR range  -UF: Built-in microphone for real-time audio security</p>	CALL	
DS-2CD1053G0-I	<p>5 MP Fixed Bullet Network Camera  High quality imaging with 5 MP resolution  Efficient H.265+ compression technology  Clear imaging even with strong back lighting due to 120 dB WDR  Water and dust resistant (IP67)  EXIR 2.0: advanced infrared technology with long IR range  -UF: Built-in microphone for real-time audio security</p>	IRR 51,940,000	





DS-2CD1047G0-L ColorVu	4 MP ColorVu Fixed Bullet Network Camera High quality imaging with 4 MP resolution Excellent low-light performance Efficient H.265+ compression technology Water and dust resistant (IP67) 24/7 colorful imaging	CALL	
DS-2CD1057G0-L ColorVu	5 MP ColorVu Fixed Bullet Network Camera High quality imaging with 5 MP resolution 24/7 colorful imaging Excellent low-light performance Water and dust resistant (IP67) Efficient H.265+ compression technology	CALL	
Lite Dome Series			
DS-2CD1323G0E-I	2 MP Fixed Turret Network Camera High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to DWDR technology Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range	IRR 29,590,000	
DS-2CD1323G0-IUF	2 MP Build-in Mic Fixed Turret Network Camera High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to DWDR technology Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range Built-in microphone for real-time audio security Support up to 256 GB SD card storage	CALL	

DS-2CD1353G0-I	<p>5MP Fixed Turret Network Camera</p> <p>High quality imaging with 5 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging even with strong back lighting due to 120 dB WDR</p> <p>Water and dust resistant (IP67)</p> <p>EXIR 2.0: advanced infrared technology with long IR range</p> <p>-UF: Built-in microphone for real-time audio security</p>	CALL	
DS-2CD1123G0E-I	<p>2 MP Fixed Dome Network Camera</p> <p>High quality imaging with 2 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to DWDR technology</p> <p>Water and dust resistant (IP67) and vandal resistant (IK10)</p> <p>EXIR 2.0: advanced infrared technology with long IR range</p>	IRR 30,000,000	
DS-2CD1143G0-I	<p>4MP Fixed Dome Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging even with strong back lighting due to 120 dB WDR</p> <p>Water and dust resistant (IP67) and vandal resistant (IK10)</p> <p>EXIR 2.0: advanced infrared technology with long IR range</p>	CALL	
DS-2CD1143G2-LIU	<p>4 MP Smart Hybrid Light Fixed Dome Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Support Human and Vehicle Detection</p> <p>Smart Hybrid Light: advanced technology with long range</p> <p>Built-in microphone for real-time audio security</p> <p>Efficient H.265+ compression technology</p> <p>Support on-board storage up to 512 GB (SD card slot) (Optional)</p> <p>Water and dust resistant (IP67) and vandal resistant (IK08)</p>	CALL	

DS-2CD1143G0-IUF	<p>4MP Build-in Mic Fixed Dome Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging even with strong back lighting due to 120 dB WDR</p> <p>Water and dust resistant (IP67) and vandal resistant (IK10)</p> <p>EXIR 2.0: advanced infrared technology with long IR range</p> <p>Support up to 256 GB SD card storage</p> <p>Built-in microphone for real-time audio security</p>	IRR 45,440,000	
DS-2CD1153G0-I	<p>5 MP Fixed Dome Network Camera</p> <p>High quality imaging with 5 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging even with strong back lighting due to 120 dB WDR</p> <p>Water and dust resistant (IP67) and vandal resistant (IK10)</p> <p>EXIR 2.0: advanced infrared technology with long IR range</p>	IRR 54,540,000	
DS-2CD1327G0-L ColorVu	<p>2 MP ColorVu Fixed Turret Network Camera</p> <p>High quality imaging with 2 MP resolution</p> <p>Excellent low-light performance</p> <p>Efficient H.265+ compression technology</p> <p>Water and dust resistant (IP67)</p> <p>24/7 colorful imaging</p>	CALL	
DS-2CD1347G0-L ColorVu	<p>4 MP ColorVu Fixed Turret Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Excellent low-light performance</p> <p>Efficient H.265+ compression technology</p> <p>Water and dust resistant (IP67)</p> <p>24/7 colorful imaging</p>	IRR 81,650,000	





DS-2CD1357G0-L ColorVu	5 MP ColorVu Fixed Turret Network Camera High quality imaging with 5 MP resolution 24/7 colorful imaging Excellent low-light performance Water and dust resistant (IP67) Efficient H.265+ compression technology	IRR 58,790,000	
DS-2CD2H25FWD-IZS	2 MP Powered-by-DarkFighter Varifocal Turret Network Camera High quality imaging with 2 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP66) and vandal proof (IK10) Motorized varifocal lens for easy installation and monitoring Robust structure design with full metal materials.	IRR 138,870,000	
Mini Bullet Series			
DS-2CD2021G1-I	2 MP WDR Fixed Mini Bullet Network Camera High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Support up to 256 GB SD card storage	CALL	
DS-2CD2027G2-L	2 MP ColorVu Fixed Mini Bullet Network Camera High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB WDR technology 24/7 colorful imaging Focus on human and vehicle classification based on deep learning -U: Built-in microphone for real-time audio security Water and dust resistant (IP67)	71,040,000	





DS-2CD2025FHWD-I	<p>2 MP High Frame Rate Fixed Mini Bullet Network Camera</p> <p>High quality imaging with 2 MP resolution</p> <p>Excellent low-light performance via powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>High frame rate video to illustrate smooth movement</p> <p>Water and dust resistant (IP67)</p> <p>Robust structure design with full metal materials.</p>	70,060,000	
DS-2CD2023G2-I	<p>2 MP AcuSense Fixed Bullet Network Camera</p> <p>High quality imaging with 2 MP resolution</p> <p>Clear imaging against strong backlight due to 120 dB WDR technology</p> <p>Efficient H.265+ compression technology</p> <p>-U: Built-in microphone for real-time audio security</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Water and dust resistant (IP67)</p>	IRR 61,240,000	
DS-2CD2043G2-I	<p>4 MP AcuSense Fixed Bullet Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Clear imaging against strong backlight due to 120 dB WDR technology</p> <p>Efficient H.265+ compression technology</p> <p>-U: Built-in microphone for real-time audio security</p> <p>Water and dust resistant (IP67)</p> <p>Focus on human and vehicle targets classification based on deep learning</p>	66,560,000 IRR	
DS-2CD2043G2-IU	<p>4 MP AcuSense Fixed Bullet Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Clear imaging against strong backlight due to 120 dB WDR technology</p> <p>Efficient H.265+ compression technology</p> <p>-U: Built-in microphone for real-time audio security</p> <p>Water and dust resistant (IP67)</p> <p>Focus on human and vehicle targets classification based on deep learning</p>	IRR 79,110,000	


DS-2CD2046G2-I	<p>4 MP AcuSense Fixed Mini Bullet Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Excellent low-light performance with powered-by-DarkFighter technology</p> <p>Clear imaging against strong backlight due to 120 dB true WDR technology</p> <p>Efficient H.265+ compression technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Built-in microphone for real-time auto security(-U)</p> <p>Water and dust resistant (IP67)</p>	IRR 72,370,000	
DS-2CD2047G2-L	<p>4 MP ColorVu Fixed Mini Bullet Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong backlight due to 130 dB WDR technology</p> <p>Built-in microphone for real-time audio security(-U)</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>24/7 colorful imaging</p> <p>Water and dust resistant (IP67)</p>	CALL	
DS-2CD2063G2-I	<p>6 MP AcuSense Fixed Bullet Network Camera</p> <p>High quality imaging with 6 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong backlight due to 120 dB WDR technology</p> <p>Focusing on human and vehicle classification based on deep learning</p> <p>-U: Built-in microphone for real-time audio security</p> <p>Water and dust resistant (IP67)</p>	IRR 73,050,000	
DS-2CD2066G2-I	<p>6 MP AcuSense Fixed Bullet Network Camera</p> <p>High quality imaging with 6 MP resolution</p> <p>Excellent low-light performance with powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Built-in microphone for real-time audio security(-U)</p> <p>Water and dust resistant (IP67)</p>	IRR 80,220,000	







DS-2CD2087G2-LU	<p>4 K ColorVu Fixed Bullet Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 130 dB WDR technology</p> <p>Focus on human and vehicle classification based on deep learning</p> <p>24/7 colorful imaging</p> <p>Built-in microphone for real-time audio security (-U)</p>	CALL	
DS-2CD2083G2-I	<p>8 MP AcuSense Fixed Bullet Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong backlight due to 120 dB WDR technology</p> <p>Focusing on human and vehicle classification based on deep learning</p> <p>-U: Built-in microphone for real-time audio security</p> <p>Water and dust resistant (IP67)</p>	IRR 79,190,000	
DS-2CD2085G1-I	<p>4K Powered-by-DarkFighter Fixed Mini Bullet Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Excellent low-light performance via powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Water and dust resistant (IP67)</p> <p>Robust structure design with full metal material.</p>	IRR 117,160,000	
DS-2CD2086G2-I	<p>4K AcuSense Fixed Mini Bullet Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Excellent low-light performance via powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Built-in microphone for real-time audio security(-U)</p> <p>Water and dust resistant (IP67)</p>	IRR 101,040,000	
Dome Series			





DS-2CD2123G2-IU	<p>2 MP AcuSense Built-in Mic Fixed Dome Network Camera</p> <p>High quality imaging with 2 MP resolution</p> <p>Clear imaging against strong backlight due to 120 dB WDR technology</p> <p>Efficient H.265+ compression technology</p> <p>Built-in microphone for real-time audio security</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Water and dust resistant (IP67) and vandal resistant (IK10)</p>	IRR 62,810,000	
DS-2CD2126G2-ISU	<p>2 MP AcuSense Fixed Dome Network Camera</p> <p>High quality imaging with 2 MP resolution</p> <p>Excellent low-light performance with powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Focus on human and vehicle classification based on deep learning</p> <p>-SU: Built-in microphone for real-time audio security, Audio and alarm interface available</p> <p>Water and dust resistant (IP67) and vandal resistant (IK10)</p>	IRR 81,540,000	
DS-2CD2327G2-L	<p>2 MP ColorVu Fixed Turret Network Camera</p> <p>High quality imaging with 2 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB WDR technology</p> <p>Focusing on human and vehicle classification based on deep learning</p> <p>Built-in microphone for real-time audio security(-U)</p> <p>24/7 colorful imaging</p> <p>Water and dust resistant (IP67)</p>	IRR 81,110,000	
DS-2CD2143G2-IU	<p>4 MP AcuSense Built-in Mic Fixed Dome Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Clear imaging against strong backlight due to 120 dB WDR technology</p> <p>Efficient H.265+ compression technology</p> <p>Built-in microphone for real-time audio security</p> <p>Water and dust resistant (IP67) and vandal resistant (IK10)</p> <p>Focus on human and vehicle targets classification based on deep learning</p>	CALL	





DS-2CD2147G2-LSU	<p>4 MP ColorVu Fixed Dome Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 130 dB WDR technology</p> <p>24/7 colorful imaging</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>-SU: Built-in microphone for real-time audio security, audio and alarm interface available</p> <p>Water and dust resistant (IP67) and vandal resistant (IK10)</p>	CALL	
DS-2CD2163G2-IU	<p>6 MP AcuSense Vandal Fixed Dome Network Camera</p> <p>High quality imaging with 6 MP resolution</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Efficient H.265+ compression technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Built-in microphone for real-time audio security</p> <p>Water and dust resistant (IP67) and vandal-resistant (IK10)</p>	CALL	
DS-2CD2166G2-ISU	<p>6 MP AcuSense Fixed Dome Network Camera</p> <p>High quality imaging with 6 MP resolution</p> <p>Excellent low-light performance with powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Built-in microphone for real-time audio security (-SU)</p> <p>Audio and alarm interface available(-SU)</p> <p>Water and dust resistant (IP67) and vandal resistant (IK10)</p>	IRR 87,390,000	
DS-2CD2183G2-IU	<p>8 MP AcuSense Vandal Fixed Dome Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Clear imaging against strong backlight due to 120 dB true WDR technology</p> <p>Efficient H.265+ compression technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Built-in microphone for real-time audio security</p> <p>Water and dust resistant (IP67) and vandal-resistant (IK10)</p>	CALL	

DS-2CD2185FWD-I	<p>4K Fixed Dome Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>-S: audio and alarm interface available</p> <p>Water and dust resistant (IP67) and vandal proof (IK10)</p> <p>Robust structure design with full metal materials.</p>	IRR 108,460,000	
DS-2CD2186G2-ISU	<p>4K Acusense Fixed Dome Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Excellent low-light performance via powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Built-in microphone for real-time audio security (-SU)</p> <p>Audio and alarm interface available(-SU)</p> <p>Water and dust resistant (IP67) and vandal resistant (IK10)</p>	IRR 109,960,000	
DS-2CD2327G2-L	<p>2 MP ColorVu Fixed Turret Network Camera</p> <p>High quality imaging with 2 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB WDR technology</p> <p>Focusing on human and vehicle classification based on deep learning</p> <p>Built-in microphone for real-time audio security(-U)</p> <p>24/7 colorful imaging</p> <p>Water and dust resistant (IP67)</p>	CALL	
DS-2CD2346G2-IU	<p>4 MP AcuSense Fixed Turret Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Excellent low-light performance with powered-by-DarkFighter technology</p> <p>Clear imaging against strong backlight due to 120 dB WDR technology</p> <p>Efficient H.265+ compression technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Built-in microphone for real-time audio security(-U)</p> <p>Water and dust resistant (IP67)</p>	IRR 76,820,000	





DS-2CD2147G2-L	<p>4 MP ColorVu Fixed Dome Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 130 dB WDR technology</p> <p>24/7 colorful imaging</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>-SU: Built-in microphone for real-time audio security, audio and alarm interface available</p> <p>Water and dust resistant (IP67) and vandal resistant (IK10)</p>	IRR 86,980,000	
DS-2CD2347G2-L	<p>4 MP ColorVu Fixed Turret Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong backlight due to 130 dB WDR technology</p> <p>Built-in microphone for real-time audio security(-U)</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>24/7 colorful imaging</p> <p>Water and dust resistant (IP67)</p>	IRR 78,910,000	
DS-2CD2347G2-LU	<p>4 MP ColorVu Fixed Turret Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong backlight due to 130 dB WDR technology</p> <p>Built-in microphone for real-time audio security(-U)</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>24/7 colorful imaging</p> <p>Water and dust resistant (IP67)</p>	CALL	
Bullet Series			
DS-2CD2T43G2-2I	<p>4 MP AcuSense Fixed Bullet Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Clear imaging against strong backlight due to 120 dB WDR technology</p> <p>Efficient H.265+ compression technology</p> <p>Water and dust resistant (IP67)</p> <p>Focus on human and vehicle targets classification based on deep learning</p>	IRR 66,970,000	

DS-2CD2T43G2-4I	<p>4 MP AcuSense Fixed Bullet Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Clear imaging against strong backlight due to 120 dB WDR technology</p> <p>Efficient H.265+ compression technology</p> <p>Water and dust resistant (IP67)</p> <p>Focus on human and vehicle targets classification based on deep learning</p>	IRR 72,380,000	
DS-2CD1T43G2-LIU	<p>4 MP Smart Hybrid Light Fixed Bullet Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Support Human and Vehicle Detection</p> <p>Smart Dual-Light: advanced technology with long range</p> <p>Built-in microphone for real-time audio security</p> <p>Water and dust resistant (IP67)</p> <p>Efficient H.265+ compression technology</p> <p>Support on-board storage up to 512 GB (SD card slot) (Optional)</p>	CALL	
DS-2CD2T47G2-L	<p>4 MP ColorVu Fixed Bullet Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong backlight due to 130 dB WDR technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>24/7 colorful imaging</p> <p>Water and dust resistant (IP67)</p>	CALL	
DS-2CD2T63G2-4I	<p>6 MP AcuSense Fixed Bullet Network Camera</p> <p>High quality imaging with 6 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong backlight due to 120 dB WDR technology</p> <p>Focusing on human and vehicle classification based on deep learning</p> <p>Water and dust resistant (IP67)</p>	CALL	





DS-2CD2T66G2-4I	<p>6 MP AcuSense Fixed Bullet Network Camera</p> <p>High quality imaging with 6 MP resolution</p> <p>Excellent low-light performance with powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Water and dust resistant (IP67)</p>	IRR 94,210,000	
DS-2CD2T83G2-4I	<p>8 MP AcuSense Fixed Bullet Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong backlight due to 120 dB WDR technology</p> <p>Focusing on human and vehicle classification based on deep learning</p> <p>Water and dust resistant (IP67)</p>	IRR 93,900,000	
DS-2CD2T85G1-I5	<p>4K Powered-by-DarkFighter Fixed Bullet Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Excellent low-light performance via powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Water and dust resistant (IP67)</p> <p>Robust structure design with full metal materials.</p>	IRR 104,260,000	
DS-2CD2T85G1-I8	<p>4K Powered-by-DarkFighter Fixed Bullet Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Excellent low-light performance via powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Water and dust resistant (IP67)</p> <p>Robust structure design with full metal materials.</p>	IRR 134,730,000	





DS-2CD2T86G2-4I	<p>4K AcuSense Fixed Bullet Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Excellent low-light performance with powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light by 120 dB true WDR technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Water and dust resistant (IP67)</p>	IRR 120,150,000	
DS-2CD2T87G2-L	<p>4 K ColorVu Fixed Bullet Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 130 dB WDR technology</p> <p>Focus on human and vehicle classification based on deep learning</p> <p>24/7 colorful imaging</p>	IRR 200,680,000	
Mini Dome Series			
DS-2CD2523G0-IS		CALL	
DS-2CD2542FWD-IS		CALL	







DS-2CD2525FWD-I		CALL	
Lite Bullet Vari-Facal Motorized Series			
DS-2CD1623G0-I	<p>2 MP Varifocal Bullet Network Camera</p> <p>High quality imaging with 2 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging even with strong back lighting due to DWDR technology</p> <p>Up to 256 GB SD card slot for storage</p> <p>2.8 to 12 mm motorized varifocal lens for easy installation and monitoring</p> <p>Water and dust resistant (IP67)</p> <p>EXIR 2.0: advanced infrared technology with long IR range</p>	CALL	
DS-2CD1623G0-IZ	<p>2 MP Varifocal Bullet Network Camera</p> <p>High quality imaging with 2 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging even with strong back lighting due to DWDR technology</p> <p>Up to 256 GB SD card slot for storage</p> <p>2.8 to 12 mm motorized varifocal lens for easy installation and monitoring</p> <p>Water and dust resistant (IP67)</p> <p>EXIR 2.0: advanced infrared technology with long IR range</p>	CALL	
DS-2CD1643G0-IZ	<p>4 MP Varifocal Bullet Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging even with strong back lighting due to 120 dB WDR</p> <p>Up to 256 GB SD card slot for storage</p> <p>2.8 to 12 mm motorized varifocal lens for easy installation and monitoring</p> <p>Water and dust resistant (IP67)</p> <p>EXIR 2.0: advanced infrared technology with long IR range</p>	IRR 75,030,000	

DS-2CD1653G0-I	<p>5 MP Varifocal Bullet Network Camera  High quality imaging with 5 MP resolution  Efficient H.265+ compression technology  Clear imaging even with strong back lighting due to 120 dB WDR  Up to 256 GB memory card slot for storage  2.8 to 12 mm motorized varifocal lens for easy installation and monitoring  Water and dust resistant (IP67)  EXIR 2.0: advanced infrared technology with long IR range</p>	CALL	
Lite Dome Vari-Facal Series			
DS-2CD1743G0-IZ	<p>4 MP Varifocal Dome Network Camera  High quality imaging with 4 MP resolution  Efficient H.265+ compression technology  Clear imaging even with strong back lighting due to 120 dB WDR  Up to 256 GB memory card slot for storage  2.8 to 12 mm motorized varifocal lens for easy installation and monitoring  Water and dust resistant (IP67) and vandal proof (IK10)  EXIR 2.0: advanced infrared technology with long IR range</p>	IRR 91,340,000	
DS-2CD1753G0-IZ	<p>5 MP Varifocal Dome Network Camera  High quality imaging with 5 MP resolution  Efficient H.265+ compression technology  Clear imaging even with strong back lighting due to 120 dB WDR  Up to 256 GB memory card slot for storage  2.8 to 12 mm motorized varifocal lens for easy installation and monitoring  Water and dust resistant (IP67) and vandal proof (IK10)  EXIR 2.0: advanced infrared technology with long IR range</p>	CALL	
Bullet Vari-Facal Motorized Series			

DS-2CD2625FWD-IZS	<p>2MP Powered by DarkFighter Varifocal Bullet Network Camera</p> <p>High quality imaging with 2 MP resolution</p> <p>Excellent low-light performance via powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Water and dust resistant (IP66) and vandal proof (IK10)</p> <p>Motorized varifocal lens for easy installation and monitoring</p> <p>Robust structure design with full metal materials.</p>	CALL	
DS-2CD2643G2-IZS	<p>4 MP AcuSense Motorized Varifocal Bullet Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Motorized varifocal lens for easy installation and monitoring</p> <p>Clear imaging against strong backlight due to 120 dB WDR technology</p> <p>Efficient H.265+ compression technology</p> <p>Water and dust resistant (IP67) and vandal resistant (IK10)</p> <p>Focus on human and vehicle targets classification based on deep learning</p>	IRR 124,710,000	
DS-2CD2666G2-IZS	<p>6 MP AcuSense Motorized Varifocal Bullet Network Camera</p> <p>High quality imaging with 6 MP resolution</p> <p>Motorized varifocal lens for easy installation and monitoring</p> <p>Excellent low-light performance with powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Audio and alarm interface available</p> <p>Water and dust resistant (IP66) and vandal proof (IK10)</p>	IRR 152,640,000	
DS-2CD2683G2-IZS	<p>8 MP AcuSense Motorized Varifocal Bullet Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Motorized varifocal lens for easy installation and monitoring</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong backlight due to 120 dB true WDR technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Audio and alarm interface available</p> <p>Water and dust resistant (IP67) and vandal-resistant (IK10)</p>	CALL	

DS-2CD2685FWD-IZS	<p>4K Varifocal Bullet Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Water and dust resistant (IP66) and vandal proof (IK10)</p> <p>Motorized vari-focal lens for easy installation and monitoring</p> <p>Robust structure design with full metal materials.</p>	CALL	
DS-2CD2686G2-IZS	<p>4K AcuSense Varifocal Bullet Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Motorized varifocal lens for easy installation and monitoring</p> <p>Excellent low-light performance via powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Audio and alarm interface available</p> <p>Water and dust resistant (IP66) and vandal proof (IK10)</p>	IRR 181,590,000	
Dome Vari-Facal Motorized Series			
DS-2CD2743G2-IZS	<p>4 MP AcuSense Motorized Varifocal Dome Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Motorized varifocal lens for easy installation and monitoring</p> <p>Clear imaging against strong backlight due to 120 dB WDR technology</p> <p>Efficient H.265+ compression technology</p> <p>Water and dust resistant (IP67) and vandal proof (IK10)</p> <p>Focus on human and vehicle targets classification based on deep learning</p>	IRR 149,000,000	
DS-2CD2783G2-IZS	<p>8 MP AcuSense Motorized Varifocal Dome Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Motorized varifocal lens for easy installation and monitoring</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong backlight due to 120 dB true WDR technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Audio and alarm interface available</p> <p>Water and dust resistant (IP67) and vandal-resistant (IK10)</p>	CALL	

DS-2CD2785G1-IZS	<p>4K Powered-by-DarkFighter Varifocal Dome Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Excellent low-light performance via powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Water and dust resistant (IP67) and vandal proof (IK10)</p> <p>Motorized vari-focal lens for easy installation and monitoring</p> <p>Robust structure design with full metal materials.</p>	CALL	
DS-2CD2786G2-IZS	<p>4K AcuSense Varifocal Dome Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Motorized varifocal lens for easy installation and monitoring</p> <p>Excellent low-light performance via powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Audio and alarm interface available</p> <p>Water and dust resistant (IP66) and vandal proof (IK10)</p>	CALL	
Fish Eye Series			
DS-2CD2955FWD-I	<p>5 MP Fisheye Fixed Dome Network Camera</p> <p>High quality imaging with 5 MP resolution</p> <p>180° fisheye view</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology.</p>	CALL	
DS-2CD2955FWD-IS	<p>5 MP Fisheye Fixed Dome Network Camera</p> <p>High quality imaging with 5 MP resolution</p> <p>180° fisheye view</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology.</p>	CALL	

Cube Smart Series

**DS-2CD2443G0-IW**

4 MP Indoor WDR Fixed Cube Network Camera  
 High quality imaging with 4 MP resolution  
 Efficient H.265+ compression technology  
 Clear imaging against strong back light due to 120 dB true WDR technology  
 Provides real-time security via built-in two-way audio  
 Detects human body through passive infrared is sensitive to body temperature (PIR)  
 -W: Wi-Fi connection

**IRR 62,470,000**



Pin Hole Series

**DS-2CD2D14WD**

**CALL**



IP PTZ Camera




**DS-2DE4225IW-DE T5**

2 MP 25X Powered by DarkFighter IR Network Speed Dome  
 Focuses on human and vehicle targets classification based on deep learning  
 Support face capture. Up to 5 faces captured at the same time  
 1/2.8" progressive scan CMOS  
 High quality imaging with 2 MP resolution  
 Excellent low-light performance with powered-by-DarkFighter technology  
 25× optical zoom and 16× digital zoom provide close up views over expansive areas  
 Expansive night view with up to 100 m IR distance  
 Support H.265+/H.265 video compression





**IRR 219,620,000**









DS-2DE4425IW-DE T5	<p>4-inch 4 MP 25X Powered by DarkFighter IR Network Speed Dome</p> <p>Focuses on human and vehicle targets classification based on deep learning</p> <p>Support face capture. Up to 5 faces captured at the same time</p> <p>1/2.8" progressive scan CMOS</p> <p>High quality imaging with 4 MP resolution</p> <p>Excellent low-light performance with powered-by-DarkFighter technology</p> <p>25× optical zoom and 16× digital zoom provide close up views over expansive areas</p> <p>Expansive night view with up to 100 m IR distance</p> <p>Support H.265+/H.265 video compression</p>	IRR 252,150,000	
DS-2SE4C425MWG-E	<p>TandemVu 6+4MP 25X Colorful &amp; IR Panoramic &amp; PTZ Camera</p> <p>Captures a large area and great details at the same time</p> <p>High quality panoramic imaging with 6 MP resolution and details imaging with 4 MP</p> <p>Excellent low-light performance with powered-by-DarkFighter technology and ColorVu technology</p> <p>Secures an expansive area with 25× optical zoom and 16× digital zoom</p> <p>Expansive night view with up to 100 m IR distance &amp; 30 m white light</p> <p>Supports 12V DC &amp; PoE+</p> <p>Focuses on human and vehicle targets classification based on deep learning</p>	IRR 329,000,000	
DS-2SE4C225MWG-E	<p>TandemVu 6+2MP 25X Colorful &amp; IR Panoramic &amp; PTZ Camera</p> <p>Captures a large area and great details at the same time</p> <p>High quality panoramic imaging with 6 MP resolution and details imaging with 2 MP</p> <p>Excellent low-light performance with powered-by-DarkFighter technology and ColorVu technology</p> <p>Secures an expansive area with 25× optical zoom and 16× digital zoom</p> <p>Expansive night view with up to 100 m IR distance &amp; 30 m white light</p> <p>Supports 12V DC &amp; PoE+</p> <p>Focuses on human and vehicle targets classification based on deep learning</p>	IRR 288,340,000	
DS-2DE7A432IW-AEB T5	<p>7-inch 4 MP 32X Powered by DarkFighter IR Network Speed Dome</p> <p>1/1.8" progressive scan CMOS</p> <p>High quality imaging with 4 MP resolution</p> <p>Excellent low-light performance with powered-by-DarkFighter technology</p> <p>Audio visual alarm: The white flashing light and audible warning can be triggered by certain events</p> <p>32× optical zoom and 16× digital zoom provide close up views over expansive areas</p> <p>Expansive night view with up to 200 m IR distance</p> <p>Focuses on human and vehicle targets classification based on deep learning</p> <p>Face capture: Up to 5 faces captured at the same time</p>	IRR 420,980,000	
NVR 4 Channel			





DS-7104NI-Q1/M	<p>4-ch Mini 1U NVR</p> <p>H.265+/H.265/H.264+/H.264 video compression</p> <p>Up to 40 Mbps incoming bandwidth, and 60 Mbps outgoing bandwidth</p> <p>Up to 4-ch network camera inputs</p> <p>Up to 4-ch 1080p decoding capability</p> <p>HDMI and VGA simultaneous output</p>	CALL	
DS-7104NI-Q1/4P/M	<p>4-ch Mini 1U 4 PoE NVR</p> <p>H.265+/H.265/H.264+/H.264 video compression</p> <p>Up to 40 Mbps incoming bandwidth, and 60 Mbps outgoing bandwidth</p> <p>Up to 4-ch network camera inputs</p> <p>Up to 4-ch 1080p decoding capability</p> <p>HDMI and VGA simultaneous output</p>	CALL	
DS-7604NI-Q1	<p>4-ch 1U 4K NVR</p> <p>Up to 4-ch IP camera inputs</p> <p>H.265+/H.265/H.264+/H.264 video formats</p> <p>Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity</p> <p>Up to 40 Mbps incoming bandwidth</p>	CALL	
DS-7604NI-Q1/4P	<p>4-ch 1U 4 PoE 4K NVR</p> <p>Up to 4-ch IP camera inputs</p> <p>H.265+/H.265/H.264+/H.264 video formats</p> <p>Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity</p> <p>Up to 40 Mbps incoming bandwidth</p>	CALL	











DS-7604NI-K1	<p>4-ch 1U 4K NVR  Up to 4-ch IP camera inputs  H.265+/H.265/H.264+/H.264 video formats  Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity  Up to 40 Mbps incoming bandwidth</p>	IRR 53,520,000	
DS-7604NI-K1/4P	<p>4-ch Mini 1U 4 POE 4G NVR  Up to 4-ch IP camera inputs, plug &amp; play with 4 power-over-Ethernet (PoE) interfaces  Up to 40 Mbps incoming bandwidth and 80 Mbps outgoing bandwidth  H.265+/H.265/H.264+/H.264 video compression  Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity  4G wireless network  Support network keep alive, data monitoring, used data real time display, data usage notification</p>	IRR 82,740,000	
NVR 8 Channel			
DS-7108NI-Q1/M	<p>8-ch Mini 1U NVR  H.265+/H.265/H.264+/H.264 video compression  Up to 60 Mbps incoming bandwidth, and 60 Mbps outgoing bandwidth  Up to 8-ch network camera inputs  Up to 4-ch 1080p decoding capability  HDMI and VGA simultaneous output</p>	CALL	
DS-7108NI-Q1/8P/M	<p>8-ch Mini 1U 8 PoE NVR  H.265+/H.265/H.264+/H.264 video compression  Up to 60 Mbps incoming bandwidth, and 60 Mbps outgoing bandwidth  Up to 8-ch network camera inputs  Up to 4-ch 1080p decoding capability  HDMI and VGA simultaneous output</p>	CALL	

DS-7608NI-Q2/8P	<p>8-ch 1U 8 PoE 4K NVR  Up to 8-ch IP camera inputs  H.265+/H.265/H.264+/H.264 video formats  Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity  Up to 80 Mbps incoming bandwidth</p>	CALL	
DS-7608NI-Q1	<p>8-ch 1U 4K NVR  Up to 8-ch IP camera inputs  H.265+/H.265/H.264+/H.264 video formats  Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity  Up to 80 Mbps incoming bandwidth</p>	CALL	
DS-7608NI-Q2	<p>8-ch 1U 4K NVR  Up to 8-ch IP camera inputs  H.265+/H.265/H.264+/H.264 video formats  Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity  Up to 80 Mbps incoming bandwidth</p>	CALL	
DS-7608NI-K1	<p>8-ch 1U 4K NVR  Up to 8-ch IP camera inputs  H.265+/H.265/H.264+/H.264 video formats  Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity  Up to 80 Mbps incoming bandwidth</p>	68,340,000	

DS-7608NI-K1/8P	<p>8-ch 1U 8 PoE 4K NVR Up to 8-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 80 Mbps incoming bandwidth</p>	IRR 126,190,000	
DS-7608NI-K2	<p>8-ch 1U 4K NVR Up to 8-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity 1 HDMI and 1 VGA interfaces, both interfaces support independent video output 2 SATA interfaces for HDD connection (up to 10 TB capacity per HDD) Up to 80 Mbps incoming bandwidth</p>	CALL	
NVR 16 Channel			
DS-7616NI-Q1	<p>16-ch 1U 4K NVR Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 160 Mbps incoming bandwidth</p>	CALL	
DS-7616NI-Q2	<p>16-ch 1U 4K NVR Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 160 Mbps incoming bandwidth</p>	89,810,000	





DS-7616NI-Q2/16P	<p>16-ch 1U 16 PoE 4K NVR  Up to 16-ch IP camera inputs  H.265+/H.265/H.264+/H.264 video formats  Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity  Up to 160 Mbps incoming bandwidth</p>	CALL	
DS-7616NI-K1	<p>16-ch 1U 4K NVR  Up to 16-ch IP camera inputs  H.265+/H.265/H.264+/H.264 video formats  Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity  Up to 160 Mbps incoming bandwidth</p>	CALL	
DS-7616NXI-K2	<p>16-ch 1U K Series AcuSense 4K NVR  Up to 16-ch IP camera inputs  H.265+/H.265/H.264+/H.264 video formats  Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity  Up to 160 Mbps incoming bandwidth  Adopt Hikvision Acusense technology to minimize manual effort and security costs</p>	IRR 94,280,000	
DS-7616NXI-K2/16P	<p>16-ch PoE 1U K Series AcuSense 4K NVR  Up to 16-ch IP camera inputs, plug &amp; play with 16 Power-over-Ethernet (PoE) interfaces  H.265+/H.265/H.264+/H.264 video formats  Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity  Up to 160 Mbps incoming bandwidth  Adopt Hikvision Acusense technology to minimize manual effort and security costs</p>	IRR 189,970,000	

DS-7616NI-K2	<p>16-ch 1U 4K NVR</p> <p>Up to 16-ch IP camera inputs</p> <p>H.265+/H.265/H.264+/H.264 video formats</p> <p>Up to 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity</p> <p>1 HDMI and 1 VGA interfaces, both interfaces support independent video output</p> <p>2 SATA interfaces for HDD connection (up to 10 TB capacity per HDD)</p> <p>Up to 160 Mbps incoming bandwidth</p>	CALL	
DS-7616NI-K2/16P	<p>16-ch 1U 16 PoE 4K NVR</p> <p>Up to 16-ch IP camera inputs</p> <p>H.265+/H.265/H.264+/H.264 video formats</p> <p>Up to 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity</p> <p>1 HDMI and 1 VGA interfaces, both interfaces support independent video output</p> <p>2 SATA interfaces for HDD connection (up to 10 TB capacity per HDD)</p> <p>Up to 160 Mbps incoming bandwidth</p> <p>Plug-and-play with 16 power over Ethernet (PoE) interfaces</p>	IRR 187,860,000	
DS-7716NI-Q4	<p>16-ch 1.5U 4K NVR</p> <p>Up to 16-ch IP camera inputs</p> <p>H.265+/H.265/H.264+/H.264 video formats</p> <p>Up to 1-ch @ 8MP or 2-ch @ 4MP or 6-ch @ 1080P decoding capacity</p> <p>1 HDMI and 1 VGA interfaces: simultaneous video output</p> <p>Up to 160 Mbps incoming bandwidth</p> <p>4 HDDs for continuous video recording</p>	CALL	
DS-7716NI-Q4/16P	<p>16-ch 1.5U 16 PoE 4K NVR</p> <p>Up to 16 channel IP cameras can be connected</p> <p>Supports decoding H.265+/H.265/H.264+/H.264 video formats</p> <p>Up to 4K high-definition live view, storage and playback</p> <p>Up to 8-ch @ 1080p decoding capacity</p> <p>Up to 160 Mbps high incoming bandwidth ensures IP cameras can be connected</p> <p>1 HDMI and 1 VGA interfaces: both interfaces support independent video output</p> <p>4 HDDs for continuous video recording</p> <p>Plug &amp; Play with 16 Power-over-Ethernet (PoE) interfaces</p>	CALL	



DS-7716NXI-K4	<p>16-ch 1.5U K Series AcuSense 4K NVR  Up to 16-ch IP camera inputs  H.265+/H.265/H.264+/H.264 video formats  Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity  Up to 160 Mbps incoming bandwidth  Adopt Hikvision Acusense technology to minimize manual effort and security costs</p>	IRR 192,660,000	
DS-7716NI-K4	<p>16-ch 1.5U 4K NVR  Up to 16-ch IP camera inputs  H.265+/H.265/H.264+/H.264 video formats  Up to 2-ch@8 MP/4-ch@4 MP/8-ch@1080p decoding capacity  Up to 160 Mbps incoming bandwidth</p>	CALL	
DS-7716NI-K4/16P	<p>16-ch 1.5U 16 PoE 4K NVR  Up to 16-ch IP camera inputs  H.265+/H.265/H.264+/H.264 video formats  Up to 2-ch@8 MP/4-ch@4 MP/8-ch@1080p decoding capacity  Plug &amp; play with 16 power-over-Ethernet (PoE) interfaces  Up to 160 Mbps incoming bandwidth</p>	CALL	
Network Video Recorders- Ultra Series			
DS-8616NI-K8	<p>16-ch 2U 4K NVR  Up to 16 channel IP cameras can be connected  Supports decoding H.265+/H.265/H.264+/H.264/MPEG4 video formats  Up to 4K high-definition live view, storage and playback  Up to 160 Mbps high incoming bandwidth ensures IP cameras can be connected  2 HDMI (different source) and 2 VGA (different source) interfaces  8 HDD can be used for continuous video recording  Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera</p>	CALL	

NVR 32 Channel

DS-7732NI-Q4	<p>32-ch 1.5U 4K NVR</p> <p>Up to 32-ch IP camera inputs</p> <p>H.265+/H.265/H.264+/H.264 video formats</p> <p>Up to 1-ch @ 8MP or 2-ch @ 4MP or 6-ch @ 1080P decoding capacity</p> <p>1 HDMI and 1 VGA interfaces: simultaneous video output</p> <p>Up to 200 Mbps incoming bandwidth</p> <p>4 HDDs for continuous video recording</p>	CALL	
DS-7732NI-Q4/16P	<p>32-ch 1.5U 16 PoE 4K NVR</p> <p>Up to 32 channel IP cameras can be connected</p> <p>Supports decoding H.265+/H.265/H.264+/H.264 video formats</p> <p>Up to 4K high-definition live view, storage and playback</p> <p>Up to 6-ch @ 1080p decoding capacity</p> <p>Up to 256 Mbps high incoming bandwidth ensures IP cameras can be connected</p> <p>1 HDMI and 1 VGA interfaces: both interfaces support independent video output</p> <p>4 HDDs for continuous video recording</p> <p>Plug &amp; Play with 16 Power-over-Ethernet (PoE) interfaces</p>	IRR 268,800,000	
DS-7732NXI-K4	<p>32-ch 1.5U K Series AcuSense 4K NVR</p> <p>Up to 32-ch IP camera inputs</p> <p>H.265+/H.265/H.264+/H.264 video formats</p> <p>Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity</p> <p>Up to 256 Mbps incoming bandwidth</p> <p>Adopt Hikvision Acusense technology to minimize manual effort and security costs</p>	IRR 231,100,000	
DS-7732NI-K4	<p>32-ch 1.5U 4K NVR</p> <p>Up to 32-ch IP camera inputs</p> <p>H.265+/H.265/H.264+/H.264 video formats</p> <p>Up to 2-ch@8 MP/4-ch@4 MP/8-ch@1080p decoding capacity</p> <p>Plug &amp; play with 16 power-over-Ethernet (PoE) interfaces</p> <p>Up to 256 Mbps incoming bandwidth</p>	210,450,000 IRR	

IDS-7732NXI-I4/8S	<p>32-ch 1.5U 4K NVR</p> <p>Up to 32-ch IP camera inputs</p> <p>H.265+/H.265/H.264+/H.264 video formats</p> <p>Up to 2-ch@8 MP/4-ch@4 MP/8-ch@1080p decoding capacity</p> <p>Plug &amp; play with 16 power-over-Ethernet (PoE) interfaces</p> <p>Up to 256 Mbps incoming bandwidth</p>	CALL	
DS-7732NI-K4/16P	<p>32-ch 1.5U 16 PoE 4K NVR</p> <p>Up to 32-ch IP camera inputs</p> <p>H.265+/H.265/H.264+/H.264 video formats</p> <p>Up to 2-ch@8 MP/4-ch@4 MP/8-ch@1080p decoding capacity</p> <p>Plug &amp; play with 16 power-over-Ethernet (PoE) interfaces</p> <p>Up to 256 Mbps incoming bandwidth</p>	IRR 334,310,000	
DS-8632NI-K8	<p>32-ch 2U 4K NVR</p> <p>Up to 32 channel IP cameras can be connected</p> <p>Supports decoding H.265+/H.265/H.264+/H.264/MPEG4 video formats</p> <p>Up to 4K high-definition live view, storage and playback</p> <p>Up to 160 Mbps high incoming bandwidth ensures IP cameras can be connected</p> <p>2 HDMI (different source) and 2 VGA (different source) interfaces</p> <p>8 HDD can be used for continuous video recording</p> <p>Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera</p>	CALL	
IDS-9632NXI-I8/4F	<p>32-ch 3U 4K DeepinMind NVR</p> <p>H.265+/H.265/H.264+/H.264 video formats</p> <p>Intelligent analytics based on deep learning algorithm</p> <p>Up to 16-ch perimeter protection</p> <p>Up to 8-ch facial recognition for video stream, or up to 16-ch facial recognition for face picture</p> <p>Up to 8-ch video structuralization</p> <p>Up to 32-ch IP cameras can be connected</p> <p>Up to 16-ch 1080p decoding capability</p>	IRR 3,213,890,000	



IDS-9632NXI-I8/S	<p>32-ch 2U 4K DeepinMind NVR  H.265+/H.265/H.264+/H.264 video formats  Intelligent analytics based on deep learning algorithm  Up to 16-ch perimeter protection  Up to 32-ch cameras can be connected  8 SATA interfaces (up to 10 TB capacity for each HDD)  Up to 16-ch 1080p decoding capability</p>	CALL	
DS-9632NI-I16	<p>32-ch 3U 4K NVR  Up to 32 channel IP cameras can be connected  Up to 320 Mbps (or 200 Mbps when RAID is enabled) high incoming bandwidth ensures IP cameras can be connected  2 HDMI (different source) and 2 VGA (different source) interfaces  16 HDD can be used for continuous video recording  Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera/fisheye camera  Advanced streaming technology enables smooth live view in poor network conditions  Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss risks</p>	تماس بگیرید	
IDS-9664NXI-I8/S	<p>64-ch 2U 4K DeepinMind NVR  H.265+/H.265/H.264+/H.264 video formats  Intelligent analytics based on deep learning algorithm  Up to 16-ch perimeter protection  Up to 64-ch cameras can be connected  8 SATA interfaces (up to 10 TB capacity for each HDD)  Up to 16-ch 1080p decoding capability</p>	CALL	
DS-9664NI-I8	<p>64-ch 2U 4K NVR  Up to 64 channel IP cameras can be connected  Up to 12 MP high-definition live view, storage and playback  Up to 320 Mbps (or 200 Mbps when RAID is enabled) high incoming bandwidth ensures IP cameras can be connected  2 HDMI (different source) and 2 VGA (different source) interfaces  8 HDD can be used for continuous video recording  Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera/fisheye camera  Advanced streaming technology enables smooth live view in poor network conditions  Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss risks</p>	CALL	

<p>DS-9664NI-I16</p>	<p>64-ch 3U 4K NVR</p> <p>Up to 64 channel IP cameras can be connected</p> <p>Up to 320 Mbps (or 200 Mbps when RAID is enabled) high incoming bandwidth ensures IP cameras can be connected</p> <p>2 HDMI (different source) and 2 VGA (different source) interfaces</p> <p>16 HDD can be used for continuous video recording</p> <p>Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera/fisheye camera</p> <p>Advanced streaming technology enables smooth live view in poor network conditions</p> <p>Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss risks</p>	<p>CALL</p>	