

هایک ویژن تهران

نمایندگی رسمی هایک ویژن در ایران

09906500074

تهران خیابان جمهوری پاساژ امجد طبقه همکف پلاک 28 فروشگاه کمیران

Hikvisiontehran

Turbo HD Camera - DVR

Items

Description

User Price





Turbo HD - 2MP




DS-2CE16D0T-ITPF





2 MP Fixed Mini Bullet Camera
2 MP, 1920 × 1080 resolution
2.8 mm, 3.6 mm, 6 mm fixed lens
4 in 1 video output (switchable TVI/AHD/CVI/CVBS)
Smart IR, up to 25 m IR distance
IP67




IRR 10,430,000



DS-2CE16D0T-ITPFS	<p>2 MP Audio Fixed Mini Bullet Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 25 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 16,390,000	
DS-2CE16D0T-ITF	<p>2 MP Fixed Mini Bullet Camera 2 MP bullet camera Smart IR: up to 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 14,190,000	
DS-2CE16D0T-ITFS	<p>2 MP Audio Fixed Mini Bullet Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 17,620,000	
DS-2CE16D0T-EXIF	<p>2 MP Fixed Mini Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm fixed lens Up to 20 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 10,890,000	





DS-2CE17D0T-IT1F	<p>2 MP Fixed Bullet Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 30 m IR distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	IRR 18,050,000	
DS-2CE17D0T-IT3F	<p>2 MP Fixed Bullet Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 40 m IR distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	IRR 23,160,000	
DS-2CE16D0T-VFIR3F	<p>2 MP Manual Varifocal Bullet Camera</p> <p>2 MP varifocal bullet camera</p> <p>2.8 mm to 12 mm varifocal lens</p> <p>Up to 40 m IR distance for bright night imaging</p> <p>Water and dust resistant (IP66)</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	CALL	

DS-2CE76D0T-ITPF	<p>2 MP Indoor Fixed Turret Camera 2 MP turret camera EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	IRR 12,320,000	
DS-76D0T-EXIPF	<p>2 MP Indoor Fixed Turret Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm fixed lens Up to 20 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	IRR 13,390,000	
DS-2CE76D0T-ITPFS	<p>2 MP Audio Indoor Fixed Turret Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 14,840,000	
DS-2CE76D0T-ITMFS	<p>2 MP Audio Fixed Turret Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 18,810,000	

DS-2CE76D0T-ITMF	<p>2 MP Fixed Turret Camera 2 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	IRR 16,440,000	
DS-2CE78D0T-IT3FS	<p>2 MP Audio Fixed Turret Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 23,840,000	
DS-2CE56D0T-VFIR3F	<p>2MP Manual Varifocal Turret Camera 2 MP varifocal turret camera 2.8 mm to 12 mm varifocal lens Up to 40 m IR distance for bright night imaging Water and dust resistant (IP67) Transmits both HD video and power over the same coaxial cable</p>	IRR 32,240,000	

Turbo HD - 2MP - ColorVu

DS-2CE70DF3T-PF Colorvu	<p>2 MP ColorVu Fixed Turret Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>24/7 color imaging with F1.0 aperture</p> <p>Clear imaging against strong back light due to 130 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 20 m white light distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	IRR 26,980,000	
DS-2CE72DF3T-F ColorVu	<p>2 MP ColorVu Fixed Turret Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>24/7 color imaging with F1.0 aperture</p> <p>Clear imaging against strong back light due to 130 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 40 m white light distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	IRR 25,410,000	
DS-2CE10DF0T-F ColorVu	<p>2 MP ColorVu Fixed Mini Bullet Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>24/7 color imaging with F1.0 aperture</p> <p>3D DNR technology delivers clean and sharp images</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 20 m white light distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	IRR 32,130,000	
DS-2CE10DF3T-F Colorvu	<p>2 MP ColorVu Fixed Mini Bullet Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>24/7 color imaging with F1.0 aperture</p> <p>Clear imaging against strong back light due to 130 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 20 m white light distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	IRR 24,300,000	

DS-2CE12DF3T-F ColorVu	<p>2 MP ColorVu Fixed Bullet Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>24/7 color imaging with F1.0 aperture</p> <p>Clear imaging against strong back light due to 130 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 40 m white light distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	IRR 33,470,000	
DS-2CE10DF3T-FS ColorVu	<p>2 MP ColorVu Audio Fixed Mini Bullet Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>24/7 color imaging with F1.0 aperture</p> <p>Clear imaging against strong back light due to 130 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>2.8 mm, 3.6 mm fixed focal lens</p> <p>Up to 20 m white light distance for bright night imaging</p> <p>High quality audio with audio over coaxial cable, built-in mic</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	IRR 34,070,000	
DS-2CE12DF3T-FS ColorVu	<p>2 MP ColorVu Audio Fixed Bullet Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>24/7 color imaging with F1.0 aperture</p> <p>Clear imaging against strong back light due to 130 dB true WDR technology</p> <p>3D DNR technology delivers clean and sharp images</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 40 m white light distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p> <p>High quality audio with audio over coaxial cable, built-in mic</p>	IRR 38,330,000	
DS-2CE70DF0T-PF ColorVu	<p>2 MP ColorVu Indoor Fixed Turret Camera</p> <p>High quality imaging with 2 MP, 1920 × 1080 resolution</p> <p>24/7 color imaging with F1.0 aperture</p> <p>3D DNR technology delivers clean and sharp images</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 20 m white light distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	IRR 23,200,000	




DS-2CE72DFT-FC ColorVu

2 MP ColorVu Fixed Turret Camera
2 MP full time color turret camera
24/7 full color imaging
Warm supplemental light with 20 m range
Clear imaging even against strong back lighting due to 120 dB true WDR technology
3D DNR technology delivers clean and sharp images
Water and dust resistant (IP67)
4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).

CALL



Turbo HD - 2MP - Ultra Low Light Series

DS-2CE76D3T-ITPF	<p>2 MP Ultra Low Light Indoor Fixed Turret Camera 2 MP turret camera</p> <p>Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	IRR 17,420,000	
DS-2CE76D3T-ITMF	<p>2 MP Ultra Low Light Fixed Turret Camera 2 MP turret camera</p> <p>Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 23,840,000	
DS-2CE16D3T-ITF	<p>2 MP Ultra Low Light Fixed Mini Bullet Camera 2 MP bullet camera</p> <p>Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	IRR 21,660,000	
DS-2CE16D3T-IT3F	<p>2 MP Ultra Low Light Fixed Bullet Camera 2 MP bullet camera</p> <p>Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 50 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 22,240,000	

Turbo HD - 5MP

DS-2CE16H0T-ITF	<p>5 MP Fixed Mini Bullet Camera 5 MP bullet camera EXIR 2.0: advanced infrared technology with 20 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 18,010,000	
DS-2CE16H0T-ITPF	<p>5 MP Fixed Mini Bullet Camera 5 MP bullet camera EXIR 2.0: advanced infrared technology with 25 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 17,740,000	
DS-2CE16H0T-ITFS	<p>5 MP Audio Fixed Mini Bullet Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 30 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS)</p>	IRR 23,050,000	
DS-2CE16H0T-ITPFS	<p>5 MP Audio Fixed Mini Bullet Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 25 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67</p>	IRR 21,420,000	





DS-2CE17H0T-IT1F	<p>5 MP Fixed Bullet Camera</p> <p>High quality imaging with 5 MP, 2560 × 1944 resolution</p> <p>2.4 mm, 2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 30 m IR distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	IRR 23,230,000	
DS-2CE17H0T-IT3FS	<p>5 MP Audio Fixed Bullet Camera</p> <p>High quality imaging with 5 MP, 2560 × 1944 resolution</p> <p>2.8 mm, 3.6 mm, 6 mm fixed focal lens</p> <p>Up to 40 m IR distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p> <p>High quality audio with audio over coaxial cable, built-in mic</p>	IRR 29,790,000	
DS-2CE17H0T-IT3F	<p>5 MP Fixed Bullet Camera</p> <p>High quality imaging with 5 MP, 2560 × 1944 resolution</p> <p>2.8 mm, 3.6 mm, 6 mm, 8mm, 12mm fixed focal lens</p> <p>Up to 40 m IR distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	IRR 24,100,000	
DS-2CE17H0T-IT5F	<p>5 MP Fixed Bullet Camera</p> <p>High quality imaging with 5 MP, 2560 × 1944 resolution</p> <p>3.6 mm, 6 mm, 8 mm, 12 mm fixed focal lens</p> <p>Up to 80 m IR distance for bright night imaging</p> <p>One port for four switchable signals (TVI/AHD/CVI/CVBS)</p> <p>Water and dust resistant (IP67)</p>	IRR 24,460,000	





DS-2CE16H0T-IT3ZF

5 MP Motorized Varifocal Bullet Camera
5 MP bullet camera
2.7 mm to 13.5 mm motorized varifocal lens
Up to 40 m IR distance for bright night imaging
Water and dust resistant (IP67)
One port for four switchable signals (TVI/AHD/CVI/CVBS)




CALL



DS-2CE76H0T-ITMF	<p>5 MP Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 21,440,000	
DS-2CE76H0T-ITMFS	<p>5 MP Audio Fixed Turret Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 30 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67</p>	IRR 24,290,000	
DS-2CE76H0T-ITPF	<p>5 MP Indoor Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 17,410,000	
DS-2CE76H0T-ITPFS	<p>5 MP Audio Indoor Fixed Turret Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 20 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS)</p>	CALL	


DS-2CE78H0T-IT1F	<p>5 MP Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 23,860,000	
DS-2CE78H0T-IT3F	<p>5 MP Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 25,790,000	
DS-2CE78H0T-IT3FS	<p>5 MP Audio Fixed Turret Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 40 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67</p>	IRR 25,440,000	
DS-2CE79H0T-IT3ZF	<p>5 MP Motorized Varifocal Turret Camera High quality imaging with 5 MP, 2560 × 1944 resolution 2.7 mm to 13.5 mm motorized varifocal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 45,780,000	

Turbo HD - 5MP - ColorVu





DS-2CE10HFT-F28 ColorVu	<p>5 MP ColorVu Fixed Mini Bullet Camera 5 MP full time color bullet camera 24/7 full color imaging Warm supplemental light with 20 m range Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 34,810,000	
DS-2CE12HFT-F28 ColorVu	<p>5 MP ColorVu Fixed Bullet Camera 5 MP full time color bullet camera 24/7 full color imaging Warm supplemental light with 40 m range Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	CALL	
DS-72HFT-F28 ColorVu	<p>5 MP ColorVu Fixed Turret Camera 5 MP full time color turret camera 24/7 full color imaging 2.8 mm fixed focal lens Warm supplemental light with 20 m range Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	IRR 40,160,000	





Turbo HD - 6MP - ColorVu




DS-72KF0T-FS ColorVu	3K ColorVu Audio Fixed Turret Camera High quality imaging with 3K, 2960 × 1665 resolution 24/7 color imaging with F1.0 aperture 2.8 mm and 3.6 mm fixed focal lens Up to 40 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67) High quality audio with audio over coaxial cable, built-in mic	IRR 37,400,000	
Turbo HD - 8MP			
DS-2CE78U8T-IT3	4K Fixed Turret Camera 8 MP high performance turret camera Strong night performance, capturing images in ultra-low light down to 0.003 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 60 m IR distance Water and dust resistant (IP67) Dual outputs (HDTVI and CVBS signals output simultaneously)	IRR 63,870,000	
DS-2CE18U8T-IT3	4K Fixed Bullet Camera 8 MP high performance bullet camera Strong night performance, capturing images in ultra-low light down to 0.003 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 60 m IR distance Water and dust resistant (IP67) Dual outputs (HDTVI and CVBS signals output simultaneously)	CALL	
Turbo HD PTZ Camera			





<p>DS-2AE4225TI-D</p>	<p>4-inch 2 MP 25X Powered by DarkFighter IR Analog Speed Dome High quality imaging with 2 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Clear imaging against strong back lighting due to 120 dB WDR technology Pan and tilt ability enables camera to monitor zones of interest 25 × optical zoom allows for closer viewing of subjects in expansive areas Up to 100 m IR range ensures safety at night Water and dust resistant (IP66)</p>	<p>IRR 180,520,000</p>	
------------------------------	---	-------------------------------	---





Turbo HD DVR 1080p / 3MP / 4MP lite



DS-7208HGHI-F1	<p>8-ch 1080p Lite 1U H.264 DVR 8 channels and 1 HDD 1U DVR H.264+ / H.264 video compression Encoding ability up to 1080p lite @ 25/30 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 10 network cameras can be connected</p>	CALL	
DS-7216HGHI-K1	<p>16-ch 1080p Lite 1U H.265 DVR Deep learning based human and vehicle targets classification of Motion Detection 2.0 H.265 Pro+/H.265 Pro/H.265 video compression HDTVI/AHD/CVI/CVBS/IP video input Audio via coaxial cable Up to 18-ch IP camera inputs (up to 5 MP) Up to 1080p Lite@15 fps encoding capability Max. 1200 m for 720p HDTVI signal</p>	IRR 52,070,000	
DS-7204HQHI-K1	<p>4-ch 1080p 1U H.265 DVR 4 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 6 network cameras can be connected</p>	CALL	
DS-7208HQHI-K1	<p>8-ch 1080p 1U H.265 DVR 8 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 12 network cameras can be connected</p>	CALL	

DS-7216HQHI-K1	<p>16-ch 1080p 1U H.265 DVR 16 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 24 network cameras can be connected</p>	IRR 121,800,000	
DS-7216HQHI-K2	<p>16-ch 1080p 1U H.265 DVR 16 channels and 2 HDDs 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 24 network cameras can be connected</p>	CALL	
DS-7232HQHI-K2	<p>32-ch 1080p 1U H.265 DVR 32 channels and 2 HDDs 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 40 network cameras can be connected</p>	IRR 267,320,000	
IDS-7204HQHI-M1/S	<p>4-ch 1080p 1U H.265 AcuSense DVR 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 6 network cameras can be connected.</p>	IRR 46,520,000	

IDS-7208HQHI-M1/S	<p>8-ch 1080p 1U H.265 AcuSense DVR 8 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 12 network cameras can be connected.</p>	IRR 73,390,000	
IDS-7216HQHI-M1/S	<p>16-ch 1080p 1U H.265 AcuSense DVR 16 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 24 network cameras can be connected.</p>	IRR 124,090,000	
IDS-7216HQHI-M2/S	<p>16-ch 1080p 1U H.265 AcuSense DVR 16 channels and 2 HDDs 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected</p>	IRR 154,400,000	
IDS-7232HQHI-M2/S	<p>32-ch 1080p 1U H.265 AcuSense DVR Deep learning-based motion detection 2.0 for all analog channels Deep learning-based perimeter protection Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 40 network cameras can be connected</p>	IRR 204,800,000	
Turbo HD DVR 1080p / 3MP / 4MP / 5MP / 8MP lite			

DS-7204HUHI-K1	<p>4-ch 5 MP 1U H.265 DVR 4 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 8 MP lite @ 15 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected.</p>	IRR 67,720,000	
DS-7208HUHI-K1	<p>8-ch 5 MP 1U H.265 DVR 8 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 16 network cameras can be connected</p>	CALL	
DS-7216HUHI-K2	<p>16-ch 5 MP 1U H.265 DVR 16 channels and 2 HDDs 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 32 network cameras can be connected</p>	IRR 218,730,000	
IDS-7204HUHI-M1/S	<p>4-ch 5 MP 1U H.265 AcuSense DVR 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP lite @ 15 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected.</p>	IRR 60,640,000	

DS-7208HUHI-M1/S	<p>8-ch 5 MP 1U H.265 AcuSense DVR 8 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 16 network cameras can be connected.</p>	IRR 124,630,000	
DS-7216HUHI-M2/S	<p>16-ch 5 MP 1U H.265 AcuSense DVR Deep learning-based motion detection 2.0 for all analog channels Deep learning-based perimeter protection Efficient H.265 pro+ compression technology Up to 8 MP@8 fps/5 MP@12 fps encoding capability HDTVI/AHD/CVI/CVBS/IP video inputs Up to 32-ch IP camera inputs (up to 8 MP)</p>	IRR 192,140,000	
DS-7316HUHI-F4/N		IRR 447,270,000	
Turbo HD DVR 1080p / 3MP / 4MP / 5MP / 8MP lite (Built in PoC Series)			
DS-7204HUHI-K1/P	<p>4-ch 5 MP 1U H.265 PoC DVR 4 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected Transmits both HDTVI video and power over the same coaxial cable</p>	IRR 67,470,000	

DS-7208HUHI-K2/P	<p>8-ch 5 MP 1U H.265 PoC DVR 8 channels and 2 HDDs 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 16 network cameras can be connected Transmits both HDTVI video and power over the same coaxial cable</p>	CALL	
Turbo HD DVR 1080p / 3MP / 4MP / 5MP / 8MP			
DS-7204HTHI-M1/S	<p>4-ch 4K 1U H.265 AcuSense DVR 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected.</p>	IRR 100,400,000	
DS-7208HTHI-M2/S	<p>8-ch 4K 1U H.265 AcuSense DVR 8 channels and 2 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 16 network cameras can be connected.</p>	IRR 179,190,000	